

Publications and conference presentations by Roger Zurbriggen, Nouryon Chemicals AG (former Akzo Nobel Chemicals AG and Elotex AG), Industriestrasse 17a, CH-6203 Sempach Station, +41 41 469 69 43, [roger.zurbriggen@nouryon.com](mailto:roger.zurbriggen@nouryon.com)

### Published papers

1. Zurbriggen R. (2001): Investigation of the segregation behavior of different mortar constituents with TGA/SDTA. UserCom 13 (1/2001) Mettler-Toledo, page 9-11, Switzerland.
2. Jenni A., Herwegh M., Zurbriggen R., Aberle T. and Holzer L. (2003): Quantitative microstructure analysis of polymer-modified mortars. Journal of Microscopy, Vol. 212, Pt 2 November 2003, pp. 186-196.
3. Jenni A., Holzer L., Zurbriggen R. and Herwegh M. (2005): Influence of polymers on microstructure and adhesive strength of cementitious tile adhesive mortars. Cement and Concrete Research, vol. 35, pp. 35-50.
4. Jenni A., Zurbriggen R., Herwegh M. and Holzer L. (2006): Changes in microstructures and physical properties of polymer-modified mortars during wet storage. Cement and Concrete Research, vol. 36, pp. 79-90.
5. Zurbriggen R., Herwegh M., Jenni A., De Gasparo A., Holzer L. and Aberle T. (2007): The influence of organic additives on the microstructural development and properties of mortars. ZKG International, Material Science, No. 2-2007, vol. 60, pp. 62-73.
6. Zurbriggen R., Aberle T., De Gasparo A. und Herwegh M. (2007): Additive optimieren Mörteloberflächen. Wasserhaushalt der Mesokapillaren entscheidend. Farbe und Lack, Vol. 6, 45-51.
7. Aberle T., Zurbriggen R. and Keller A. (2008): Efflorescence - testing methods and results. ZKG International, vol. 61 (9-2008), pp. 84-91.
8. Götz-Neunhoeffler F. and Zurbriggen R. (2008): Formation of hydrate spheres in ternary binder systems. ZKG International, Nr. 12, vol. 61, p. 68-76.
9. Aberle, T., Pustovgar, A.P. (2008): Prevention of efflorescence formation on masonry structures of buildings and constructions. International Analytical Review ALITinform, No. 6 (07),
10. Wetzel A., Zurbriggen R., Herwegh M. and Kaufmann J. (2009): Wenn der Haftverbund versagt. Schadensmechanismen bei grossformatigen Feinsteinzeugfliesen. Farbe und Lack, vol. 3, p. 98-101.
11. De Gasparo A., Herwegh M., Zurbriggen R. and Scrivener K. (2009): Quantitative distribution patterns of additives in self-leveling flooring compounds (underlayments) as function of application, formulation and climatic conditions. Cement and Concrete Research, 39, 313-323.
12. Pass K., Zurbriggen R., Waser H., Wetzel A., Greminger A., Herwegh M. and Kaufmann J. (2009): Mit Mikrorissen fängt es an. Fliesen und Platten, Vol. 10, 26-31.  
Ziegler Th.-K. und Zurbriggen R. (2010): Leserbrief zum Artikel "Mit Mikrorissen fängt es an". Fliesen und Platten Vol. 2, 62-63.

13. Wetzel A., Zurbruggen R. and Herwegh M. (2010): Spatially resolved evolution of adhesion properties of large porcelain tiles. *Cement & Concrete Composites*, 32, 327-338.
14. Zurbruggen R., Pass K. und Wetzel A. (2011): Gut verlegt hält länger. *Fliesen und Platten*, Vol. 2, 18-21.
15. Zurbruggen R. and Özkamisli F. (2011): Kendiliginde Yayilan Zemin Bilesikleri. *Boyatürk* 07/2011, pp. 16-19.
16. Wetzel A., Zurbruggen R., Herwegh M., Trindler W. und Winnefeld F. (2011): Adhesion between tile adhesive and modified rear sides of porcelain tiles. Adhäsion zwischen Fliesenkleber und mechanisch vorbehandelten Fliesenrückseiten. *ZKG International, Materials*, vol. 11, pp. 40-50.
17. Schmidt-Driedger M., Berger F., Münkel R., Reck B., Röpke H. und Zurbruggen R. (2011): In der Praxis bewährt. *Fliesen und Platten*, Vol. 11, 26-32.
18. Wetzel A., Herwegh M., Zurbruggen R. und Winnefeld F. (2012): Influence of shrinkage and water transport mechanisms on microstructure and crack formation of tile adhesive mortars. *Cement and Concrete Research*, 42, 39-50.
19. Winnefeld F., Kaufmann J., Hack E., Harzer S., Wetzel A. and Zurbruggen R. (2012): Moisture induced length changes of tile adhesive mortars and their impact on adhesion strength. *Construction and Building Materials*, 30, 426-438.
20. Aberle T. (2012): A New Way to Optimize Formulation Costs of Adhesive Mortars Used for Polystyrene Substrates. *Boyatürk* Feb/March 2012, pp. 2-8.
21. Pass K. und Zurbruggen R. (2012): Mit Buttering auf der sicheren Seite. *Fliesen und Platten*, Vol. 3, 22-27.
22. Kaufmann J., Winnefeld F. and Zurbruggen R. (2012): Polymer dispersions and their interaction with mortar constituents and ceramic tile surfaces studied by zeta-potential measurements and atomic force microscopy. *Cement and Concrete Composites*, 34, 604-611.
23. Wetzel A., Zurbruggen R., Herwegh M., Greminger A. and Kaufmann J. (2012): Long-term study on failure mechanisms of exterior applied tilings. *Construction and Building Materials*, 37, 335-348.
24. Zurbruggen R. (2012): Warum enthalten Bodenspachtelmasse Entschäumer? *FussbodenTechnik* 5/2012, S. 77.
25. Aberle T. and Lang J. (2012): AkzoNobel on efflorescence. *Construction Week Qatar*, August 2012, 48-49.
26. Zurbruggen R. (2012): Trockenmörtel - Sicher, praktisch und nachhaltig. Kapitel 3.2 Trockenmörtel, S. 62-64 in *HighChem hautnah – Aktuelles aus der Bauchemie*. Herausgeber: Gesellschaft Deutscher Chemiker, Fachgruppe Bauchemie, ISBN 978-3-936028-74-4.
27. Winkler A., Fritz S., Aberle Th., Freyer D. and Voigt W. (2013): Hydrophobizing of gypsum by silanes (Part 1). *ZKG* 7-8 2013, 72-78
28. Bühler Th., Zurbruggen R., Pieles U., Huwiler L. and Raso R. (2013): Dynamics of early skin formation of tiling mortars investigated by microscopy and diffuse reflectance infrared Fourier transformed spectroscopy. *Cement and Concrete Composites*, 37, 161-170.
29. Winkler A., Fritz S., Aberle Th., Freyer D. and Voigt W. (2013): Hydrophobizing of

- gypsum by silanes (Part 2). ZKG 9, 2013.
30. Winkler A., Fritz S., Aberle Th., Freyer D. and Voigt W. (2013): The hydrophobizing mechanism of silanes in gypsum based materials). ZKG Drymix Special, 2013.
  31. Herwegh M., Zurbriggen R., Mettier R., Winnefeld F., Kaufmann J. and Wetzel A. (2015): Hygrical shrinkage stresses in tiling systems: Numerical modeling combined with field studies. Cement and Concrete Composites, 55, 1-10.
  32. Zurbriggen R. and Herwegh M. (2015 on www; 2016): Daily and seasonal thermal stresses in tilings: A field survey combined with numeric modeling. Materials and Structures, 49 (2016), Issue 5, 1917–1933. DOI 10.1617/s11527-015-0623-5.
  33. Zurbriggen R., Pass K. (2015): Buttering to be on the safe side – six material technology advantages of buttering. ZKG Drymix Special, 34-37.
  34. Zurbriggen R., Bühler Th., Huwiler L., Pielas U. (2019): In-situ micro-rheology – a method for the study of skin and crust formation at mortar surfaces (Part 1). ZKG, International 5/2019, pp. 61-67.
  35. Zurbriggen, R.; Bühler, Th.; Wetzel, A.; Huwiler, Heini U., L.; Pielas, U.; Herwegh, M.: (2019): Skin and crust formation at mortar surfaces – mechanisms and influencing factors (Part 2). ZKG International 6/2019, pp. 50-59.

#### Publications on www

(Mostly as part of Newsletters released by Akzo Nobel Chemicals AG, former Elotex AG)

1. Zurbriggen R. (2002): Polymer distribution in mortars via thermal analysis. Scientific paper in the Elotex Newsletter December 2002, [www.elotex.com](http://www.elotex.com).
2. Zurbriggen R. (2003): In-situ ESEM study of microstructural changes in polymer-modified mortars during wet storage. Scientific paper in the Elotex Newsletter March 2003/Issue 10, [www.elotex.com](http://www.elotex.com).
3. Contributions of data and author of glossary in: Jenni A. (2003): Microstructural evolution and physical properties of polymer-modified mortars. An interactive presentation at [www.basicresearch.elotex.de](http://www.basicresearch.elotex.de).
4. Zurbriggen R. (2003): General aspects of self-leveling compounds based on mixed binder systems. Scientific paper in the Elotex Newsletter June 2003/Issue 11, [www.elotex.com](http://www.elotex.com).
5. Jenni A., Zurbriggen R., Herwegh M. and Holzer L. (2003): Quantitative microfabric analysis of polymer-modified high-porous mortars. Scientific paper in the Elotex Newsletter Sept. 2003/Edition 12, [www.elotex.com](http://www.elotex.com).
6. Zurbriggen R. (2004): Early microstructures and final properties of mortars. Scientific paper in the Elotex Newsletter 1/2004, [www.elotex.com](http://www.elotex.com).
7. Zurbriggen R. (2004): Improved cohesion and adhesion strength with Elotex redispersible powders. Scientific paper in the Elotex Newsletter 2/2004, [www.elotex.com](http://www.elotex.com).
8. Zurbriggen R. (2004): Latex-cement micro composites. Scientific paper in the Elotex Newsletter 3/2004, [www.elotex.com](http://www.elotex.com).
9. Zurbriggen R. (2004): Measuring early shrinkage and expansion of fast setting

- flooring compounds. Scientific paper in the Elotex Newsletter 4/2004, [www.elotex.com](http://www.elotex.com).
10. Zurbriggen R. (2005): Mechanisms during mixing. Part 1: Wetting process. Scientific paper in the Elotex Newsletter 1/2005, [www.elotex.com](http://www.elotex.com).
  11. Aberle T. & Zurbriggen R. (2005): Mechanisms during mixing. Part 2: Processes of redispersion and dissolution. Scientific paper in the Elotex Newsletter 2/2005, [www.elotex.com](http://www.elotex.com).
  12. Lang J. & Zurbriggen R. (2005): Mechanisms during mixing. Part 3: Air entrainment. Scientific paper in the Elotex Newsletter 3/2005, [www.elotex.com](http://www.elotex.com).
  13. Zurbriggen R. (2005): Microstructures of tile adhesives for plywood application. Scientific paper in the Elotex Newsletter 4/2005, [www.elotex.com](http://www.elotex.com).
  14. Aberle, T. (2005): Improved Shelf Life for Gypsum-based products with Elotex AD117 and Elotex MP2087. Paper in the Elotex Newsletter 3/2005, [www.elotex.com](http://www.elotex.com).
  15. De Gasparo A., Kighelman J. & Zurbriggen R. (2006): Redispersible powders in filling compounds. Scientific paper in the Elotex Newsletter 1/2006, [www.elotex.com](http://www.elotex.com).
  16. De Gasparo A. & Zurbriggen R. (2006): Defoaming and segregation of sand grains in self-leveling compounds. Scientific paper in the Elotex Newsletter 2/2006, [www.elotex.com](http://www.elotex.com).
  17. Aberle T. (2006): Efflorescence. Scientific paper in the Elotex Newsletter 4/2006, [www.elotex.com](http://www.elotex.com).
  18. Aberle T. (2006): Efflorescence reducing additives – the new Elotex ERA products. Paper in the Elotex Newsletter 4/2006, [www.elotex.com](http://www.elotex.com).
  19. Zurbriggen R. (2007): Mechanisms of open time of tile adhesives. Scientific paper in the Elotex Newsletter 2/2007, [www.elotex.com](http://www.elotex.com).
  20. Zurbriggen R. (2007): Influence of mesocapillaries onto primary efflorescence. Scientific paper in the Elotex Newsletter 3/2007, [www.elotex.com](http://www.elotex.com).
  21. Aberle T. (2007): ELOTEx ERASEAL120 – Efflorescence Reduction and Hydrophobicity. Paper in the Elotex Newsletter 3/2007, [www.elotex.com](http://www.elotex.com).
  22. Zurbriggen, R. (2008): Latex film formation in cementitious mortars. Paper in the Elotex Newsletter 1/2008, [www.elotex.com](http://www.elotex.com).
  23. Zurbriggen R. (2011): Trockenmörtel: Highlights und innovative Lösungen. [www.aktuelle-wochenschau.de](http://www.aktuelle-wochenschau.de).
  24. Zurbriggen R. (2014): A new laboratory method to investigate skin formation and open time performance. News, Performance Additives - Building & Construction Newsletter, issue 2 (May), 2-3.
  25. Zurbriggen R. (2015): New additives to improve Open Time of high-class tile adhesives. News, Performance Additives - Building & Construction Newsletter, issue 4 (June), 3-4.
  26. Zurbriggen R. (2015): Kinetics of ternary flooring mortars. News, Performance Additives - Building & Construction Newsletter, issue 5 (November), 5-7.
  27. Zurbriggen R. (2016): Basic facts about ettringite. News, Performance Additives - Building & Construction Newsletter, issue 7 (October), 4-6.
  28. Zurbriggen R. (2017): Impact resistance of ETICS – the role of the redispersible

- polymer powder. News, Performance Additives - Building & Construction Newsletter, issue 9 (May), 3-7.
29. Zurbriggen R. (2017): Types of calcium sulfate. News, Performance Additives - Building & Construction Newsletter, issue 10 (December), 5.

Proceedings of international conferences (Speaker is underlined)

1. Zurbriggen R. (1998): Einfluss von Dispersionspulver auf das Schwund- und Abbindeverhalten und die Gefügeentwicklung von Fliesenklebern. Extended talk and poster presentation at the 2<sup>nd</sup> Seminar of „Beschichtungen und Bauchemie“, 7.-8.10.1998, Kassel, Germany. Also available in English.
2. Zurbriggen R., Stephan D. and Knöfel D. (1999): Abbindeverhalten von Dispersionspulver-vergüteten Fliesenklebern. GDCh Monographie Bd. 15, 67-71, Vortrag an der 2. Tagung Bauchemie in Siegen, 5.-6.3.1999.
3. Zurbriggen R. (1999): Wechselwirkungen zwischen Ethylen-Vinylacetat-Dispersionspulvern und Portlandzement. Talk at the European Coatings Show 99, 14.4.1999, Nürnberg, Germany.
4. Jenni A., Herwegh M., Zurbriggen R. and Holzer L. (2001): Polymerverfilmung in zementären Systemen. GDCh Monographie Bd. 24, 92-97, Vortrag an der 3. Tagung Bauchemie in Würzburg, 27.-28.9.2001.
5. Holzer L., Jenni A. and Zurbriggen R., (2001): Eine in-situ ESEM-Studie über mikrostrukturelle Veränderungen polymervergüteter Mörtel während der Wasserlagerung. GDCh Monographie Bd. 24, 156-159, Poster an der 3. Tagung Bauchemie in Würzburg, 27.-28.9.2001.
6. Jenni A., Zurbriggen R., Holzer L. and Herwegh M. (2001): Sample preparation of polymer-modified high-porous mortars for quantitative microfabric analysis. Talk at the Euroseminar on Microscopy Applied to Building Materials, 4.-7.9.2001, Athen.
7. Zurbriggen R., Aberle T., Jenni A. and Holzer L. (2001): Analytical Characterisation of a Polymer Modified CTA. Poster at the ICI Materials Workshop, 24.-26.9.2001, Oxford, UK.
8. Zurbriggen R., Jenni A., Herwegh M. and Holzer L. (2001): Optical Microscopy on Polymer Film Formation in Cementitious Systems. Poster at the ICI Materials Workshop, 24.-26.9.2001, Oxford, UK.
9. Jenni A., Herwegh M. and Zurbriggen R. (2002): Morphologie und Innenleben von Polymer-Phasen in Zementmörteln. GDCh Monographie Bd. 25, 82-86, Vortrag an der 4. Tagung Bauchemie in Weimar, 30.9.-1.10.2002.
10. Zurbriggen R. and Jenni A. (2002): Lichtmikroskopische in-situ Experimente zur Filmbildung von Polymeren in zementären Systemen. GDCh Monographie Bd. 25, 124-126, Poster an der 4. Tagung Bauchemie in Weimar, 30.9.-1.10.2002.
11. Jenni A., Zurbriggen R., Herwegh M. and Holzer L. (2003): Quantitative microfabric analysis of polymer-modified high-porous mortars. Proceedings (page 80) of the 11<sup>th</sup> International Congress on the Chemistry of Cement (ICCC2003), 11.-16.5.2003, Durban, South Africa.

12. Zurbriggen R., Jenni A., Herwegh M. and Holzer L. (2003): Mikrostrukturentwicklung in polymer-modifizierten Fliesenklebern während der Applikation (Teil 1). Proceedings of the 15. ibausil, Weimar, Germany (24.-27.9.2003), vol. 2, 347-356.
13. Jenni A., Zurbriggen R., Holzer L. and Herwegh M. (2003): Entwicklung der Mikrostrukturen und der physikalischen Eigenschaften von polymer-modifizierten Fliesenklebern während der Trocken- und Nasslagerung (Teil 2). Proceedings of the 15. ibausil, Weimar, Germany (24.-27.9.2003), vol. 2, 357-366.
14. Jenni A., Zurbriggen R., Herwegh M. and Holzer L. (2003): Quantitative microstructural analysis of polymer-modified high-porous mortars. Russian article in the proceedings of the 5<sup>th</sup> International scientific and technological conference "Modern technologies of dry mixtures in building, MixBUILD", 2.-4.12.03, St. Petersburg, Russia, 92-97.
15. Jenni A., Zurbriggen R., Herwegh M. and Holzer L. (2003): Quantitative microfabric analysis of polymer-modified high-porous mortars. CEREM Journal 2004, 17-22 (reprint of the extended abstract for the ICC2003).
16. Zurbriggen R., Jenni A., Herwegh M., Aberle T. and Holzer L. (2004): Tile adhesives modified by redispersible polymer powder –Microstructural evolution and resulting macro properties in both fresh and hardened states. Proceedings of the 2004 China International Dry Mortar Production & Application Techniques Seminar, 55-59, 23.+24.9.04, Beijing, China.
17. Bühler E. and Zurbriggen R. (2004): Mechanisms of early shrinkage and expansion of fast setting flooring compounds. GDCh Monographie Band 31, 194-196. Poster at the GDCh-Bauchemie-Tagung, 7. + 8.10.2004, Erlangen, Germany.
18. Zurbriggen R. (2004): Influence of polymer glass transition temperature onto mortar flexibility. Russian article in the proceedings of the 6<sup>th</sup> International scientific and technological conference "Modern technologies of dry mixtures in building, MixBUILD", 23.-25.11.04, Moscow, 67-74.
19. Kighelman J., Scrivener K. and Zurbriggen R. (2005): Microstructural gradients in self-leveling flooring compounds. Proceedings of the 10<sup>th</sup> Euroseminar on Microscopy applied to Building Materials, 22.-25. June 2005, University of Paisley, Scotland.
20. Kighelman J., Scrivener K. and Zurbriggen R. (2005): Microstructural gradients in self-leveling flooring compounds. GDCh Monographie Band 35, 292-297. Poster at the GDCh-Bauchemie-Tagung, 29.-30.9.2005, Berlin, Germany.
21. De Gasparo A., Herwegh M. and Zurbriggen R. (2005): Methods to unravel the distribution of polymers during the evolution of self-leveling flooring compounds (SLC). Proceedings of the 10<sup>th</sup> Euroseminar on Microscopy applied to Building Materials, 22.-25. June 2005, University of Paisley, Scotland.
22. De Gasparo A., Herwegh M. and Zurbriggen R. (2005): Methods to unravel the distribution of polymers during the evolution of self-leveling flooring compounds (SLC). GDCh Monographie Band 35, 249-256. Poster at the GDCh-Bauchemie-Tagung, 29.-30.9.2005, Berlin, Germany.
23. Zurbriggen R., Lang J. and Beng P. (2005): Self-leveling flooring compounds: application, products, mechanisms and properties. Proceedings of the 7<sup>th</sup>

- International scientific and technological conference “Modern technologies of dry mixtures in building, MixBUILD”, 22.-24.11.05, Moscow, 57-60.
24. Zurbriggen R., Lang J. and Beng P. (2006): Self-leveling flooring compounds: mechanisms and properties. Proceedings of the 2006 China International Dry Mortar Production & Application Techniques Seminar, 203-206, 1.+2.3.06, Beijing, China.
  25. Zurbriggen R., Bühler E. and Lang J. (2006): Mixed-binder based self-leveling flooring compounds: Critical formulations – the reason for typical damages. Proceedings of the 16. ibausil, Weimar, Germany (20.-22.9.2006), vol. 2, 1075-1082.
  26. De Gasparo A., Herwegh M. and Zurbriggen R. (2006): Fractionation behavior of additives and resulting microstructures of self-leveling compounds. Proceedings of the 16. ibausil, Weimar, Germany (20.-22.9.2006), vol. 2, 1067-1073.
  27. Kighelman J., Scrivener K. and Zurbriggen R. (2006): Effect of the mix binder system on the hydration of Self-Leveling Compounds. Proceedings of the 16. ibausil, Weimar, Germany (20.-22.9.2006), vol. 1, 949-956.
  28. Herwegh M., Zurbriggen R., Scrivener K., De Gasparo A., Kighelman J., and Jenni A. (2006): A comparison between tile adhesive mortars (CTA) and self-leveling compounds (SLC): What can we learn about the role of polymers in thin-bed mortars? Proceedings of the 16. ibausil, Weimar, Germany (20.-22.9.2006), vol. 2, 1059-1066.
  29. Zurbriggen R., Herwegh M., Jenni A., De Gasparo A., Holzer L. und Aberle T. (2006): Der Einfluss der Additive auf die Mikrostrukturentwicklung und Eigenschaften von Mörteln - ein Vergleich zwischen Fliesenklebern und selbstverlaufenden Bodenspachtelmassen. Tagungsband des 10. Seminars Beschichtungen und Bauchemie, 3-19, 24.-25. 10.2006, Kassel, Deutschland.
  30. Aberle T., Keller A. and Zurbriggen R. (2006): Efflorescence- mechanisms of formation and ways to prevent. Proceedings of the 8<sup>th</sup> International scientific and technological conference “Modern technologies of dry mixtures in building, MixBUILD”, 21.-23.11.06, Moscow, 25-29.  
Also published in: Technical Bulletin 01; Proceedings of the South East Asia Drymix Mortar Association SEADMA, 23.11.06, Singapore.  
Also published in: Proceedings of the 2nd Portuguese Congress on Construction Mortars, Lisboa, 22.+23.11.2007.
  31. Zurbriggen R., Herwegh M., Aberle T., De Gasparo A. and Jenni A. (2007): Functionalities of organic additives and resulting surface properties of polymer-modified mortars. Proceedings of the Nürnberg Congress, Parallel Session XIV, Construction Chemicals 2.
  32. Kighelman J., Zurbriggen R. and Scrivener K. (2007): Kinetics, shrinkage, microstructures and material properties of self-levelling flooring compounds: A comparison of Portland cement and calcium aluminate cement dominated mixed binders. Proceedings of the idmmc one, 9.5.2007, Nürnberg, Germany, Drymix Mortar Yearbook 2007, 68-75.
  33. De Gasparo A., Herwegh M. and Zurbriggen R. (2007): Fractionation mechanisms and resulting gradients in self-leveling flooring compounds. GDCh Monographie

- Band 37, 97-104. Talk at the GDCh-Bauchemie-Tagung, 27.-28.9.2007, Siegen, Germany.
34. Zurbruggen R. and Goetz-Neunhoeffer F. (2007): Mechanisms and resulting damages of prolonged retardation in aged dry mixes: A case study of mixed-binders containing tartaric acid. GDCh Monographie Band 37, 111-118. Talk at the GDCh-Bauchemie-Tagung, 27.-28.9.2007, Siegen, Germany.
  35. Aberle T. and Pustovgar A.P. (2007): Prevention of wall saltpetre formation on stone structures of buildings and constructions. 9<sup>th</sup> International Science and Technical Conference "MixBUILD-2007", 21.11.2007
  36. Lys T., Duss R., Waser H. and Zurbruggen R. (2008): Wet strength and durability, two key properties for outdoor tile applications. Proceedings of the 3rd China International Dry Mortar Production & Application Techniques Seminar, April 2-3, 2008, Beijing, China, p. 26-28.
  37. Zurbruggen R., Waser H. and Duss R. (2008): Wet strength and durability, two key properties for outdoor tile applications. Drymix Mortar Yearbook 2008, Proceedings of the admmc one, 4.6.2008, Charlotte, North Carolina, USA, p. 94-99.
  38. De Gasparo A., Herwegh M. and Zurbruggen R. (2008): Mutual influence of additive fractionation and hydration kinetics in self-leveling flooring mortars. Proceedings of the Calcium Aluminate Cements 2008, p. 573-580, 30.6.-2.7.2008, Avignon, France.
  39. Kighelman J., Scrivener K. and Zurbruggen R. (2008): Kinetics of two types of flooring mortars (PC dominated vs CAC dominated). Proceedings of the Calcium Aluminate Cements 2008, p. 567-572, 30.6.-2.7.2008, Avignon, France.
  40. Wetzel A., Zurbruggen R., Herwegh M. (2008): Setup for investigations of tile-mortar interface of large-sized tiles. Proceedings of the GDCh Baufachtagung in Koblenz, Germany, 22.-24.9.08, Monographie, vol. 39, p. 421-426. (Poster presentation)
  41. Wetzel A., Herwegh M., Zurbruggen R. (2008): Spatial and temporal evolution of physico-chemical properties of polymer-modified mortar at the interfaces of large-sized tiles. Proceedings of the GDCh Baufachtagung in Koblenz, Germany, 22.-24.9.08, Monographie, vol. 39, p. 237-445.
  42. Zurbruggen R., Wetzel A., Harzer S., Herwegh M., Kaufmann J., Winnefeld F., Pass K. and Waser H. (2008): Failure mechanisms of outdoor applied large sized fully-vitrified tiles. Full text in English and Russian. ALITinform, No. 3-4 (4-5), p. 125-133, ISSN 1998-1295, Proceedings of the 10 year MixBUILD conference, 18.-20.11.08, Moscow.
  43. Zurbruggen R., Pass K., Waser H., Wetzel A., Herwegh M., Greminger A., Harzer S., Kaufmann J., Winnefeld F. (2008): Failure mechanisms of outdoor applied large sized fully-vitrified tiles. Technical Bulletin 03 MEDMA, p. 36-42, ISBN 978-3-9811328-4-7, Proceedings of the Middle East Drymix Mortar Association MEDMA conference, 24.11.08, Dubai.  
(Same paper than presented at the MixBuild in Moscow.)
  44. Vallée F., Zurbruggen R., Jenni A., Herwegh M., Aberle T and Holzer L. (2009): Tile adhesive: properties versus microstructure. Proceedings of the CEDMMC



- available as CD-ROM, 26.1.09, Bukarest, Romania.
45. Zurbruggen R., Wetzel A., Greminger A., Kaufmann J., Pass K. and Waser H. (2009): Outdoor tile damages: a study on critical parameters and characteristic microstructures. Proceedings of the idmmc two, p. 18-24, 30.3.09, Nuremberg, Germany.
  46. Götz-Neunhoeffler F., Neubauer J, and Zurbruggen R. (2009): Effects of ageing in Portland cement dominated ternary binder mixtures. Proceedings of the 31. International Conference on Cement Microscopy (on CD-ROM), 26.-30.4.09, St. Petersburg, Florida.
  47. Wetzel A., Herwegh M., Zurbruggen R. (2009): Evolution of microstructures and critical adhesion patterns in adhesives mortars applied under large-sized porcelain tiles. Proceedings of the 17. ibausil, Weimar, Germany (23.-25.9.2009), vol. 2, 177-182.
  48. Herwegh M., Mettier R., Zurbruggen R., Wetzel, A., Winnefeld F. and Kaufmann J. (2009): Critical stress concentrations in tile adhesive mortars: A numerical modelling approach. Proceedings of the 17. ibausil, Weimar, Germany (23.-25.9.2009), vol. 2, 137-141.
  49. Winnefeld F., Kaufmann J., Harzer S., Herwegh M., Wetzel A. and Zurbruggen R. (2009): Hydration and moisture gradients of tile adhesives. Proceedings of the 17. ibausil, Weimar, Germany (23.-25.9.2009), vol. 2, 967-972.
  50. Greminger A., Wetzel A., Zurbruggen R., Pass K. and Waser H. (2009): Characteristic failure histories for tile damages in the exterior. Proceedings of the 17. ibausil, Weimar, Germany (23.-25.9.2009), poster presentation, vol. 2, 1237-1242.
  51. Wang V., Zurbruggen R., Wetzel A., Greminger A., Kaufmann J., Pass K. and Waser H. (2009): Characterisation of application failures of externally applied tiles. Presentation at the 4<sup>th</sup> Annual SEADMA Conference, Jakarta, 16.10.09. (Note: Paper was already published in proceedings of idmmc two, Ref. 46.)
  52. Zurbruggen R., Pass K., Waser H., Greminger A. and Wetzel A. (2009): Characteristic failure of exterior applied tiles. Technical Bulletin 04 MEDMA, p. 10-13, ISBN 978-3-9811328-6-1, Proceedings of the Middle East Drymix Mortar Association MEDMA conference, Dubai, 24.11.2009.
  53. Zurbruggen R. and Lang J. (2009): Functional additives for dry mortars - the material science behind. Proceedings (CD) of the First Indian Drymix Mortar Conference, Mumbai, 27.11.2009.
  54. Palmer J., Herwegh M., Zurbruggen R., Wetzel, A., Greminger A., Mettier R., Winnefeld F., Kaufmann J., Pass K. and Waser H. (2009): Critical stress under large tiles: Application technique and tile format - two key parameters for durable adhesion. Proceedings of the First Latin America Drymix Mortar Conference, Sao Paulo, 11.12.2009.
  55. De Gasparo A., Bühler E., Waser H., Strauss W., Aberle T., Herwegh M. and Zurbruggen R. (2010): Structure property relationship in ternary self-leveling underlayments. Proceedings (CD) of the admcc two, 1.6.10, Chicago.
  56. Buntschu D., Wetzel A. and Zurbruggen R. (2010): Grauer Klotz macht sich einen Namen – Fliesenstudie der Elotex erlangte weltweite Bedeutung.

SempacherWoche, 3. Juni 2010.

57. Greminger A., Wetzel A., Herwegh M. and Zurbriggen R. (2010): Mapping of failure structures of exterior tilings. Poster presentation at the GDCh Baufachtagung in Dortmund, Germany, 7.-8.10.10, Monographie, vol. 42, p. 290-296.
58. Wetzel A., Herwegh M., Zurbriggen R., Winnefeld F. and Kaufmann J. (2010): Mechanisms of shrinkage and adhesion failure of tile adhesive mortars. Proceedings of the GDCh Baufachtagung in Dortmund, Germany, 7.-8.10.10, Monographie, vol. 42, p. 69-76.
59. Aberle Th., Emmenegger P., Vallée F. and Herschke L. (2010): New approaches to increase water resistance of gypsum based building materials. Proceedings of the cedmmc two, 7.5.10, Istanbul, Turkey. Drymix Mortar Yearbook 2010 (Editor: F. Leopolder), p. 44 – 53, ISBN 978-3-9811328-7-8.
60. Aberle Th., Emmenegger P., Vallée F., Herschke L., Freyer, D. and Winkler, A. (2010): New Approaches to increase Water Resistance of Gypsum based Building Materials. Proceedings of the 10<sup>th</sup> Global Gypsum Conference, 25.+26.10.10, Paris, 2010.
61. Aberle Th., Herschke L. and Emmenegger P. (2010): State-of-the art hydrophobizing solutions for modern gypsum building materials. Proceedings of Russian Mortar Days & Exhibition, 01.-02.12.2010, Moscow.
62. Zurbriggen R., Herwegh M., Pielas U., Bühler T. and Huwiler L. (2011): A new laboratory method to investigate skin formation and Open Time performance. Proceedings of the idmmc three, 28.-29.3.2011, Nuremberg, Germany. Drymix Mortar Yearbook 2011 (Editor: F. Leopolder), p. 48 – 54, ISBN 978-3-9814004-1-0.
63. Zurbriggen R. and Lang J. (2011): Self-leveling flooring compounds: Application, products, mechanisms and properties. Publication in Turkish language in Boyatürk, issue June/July, p. 16-20.
64. Zurbriggen R., Wetzel A., Herwegh M., Greminger A., Winnefeld F. and Kaufmann J. (2011): Application practice and durability of outdoor tilings – a material science study. Poster presentation at the GDCh Baufachtagung in Hamburg, Germany, 6.-7.10.11, Monographie, vol. 44, p. 348-351.
65. Herschke L. and Zurbriggen R. (2011): Ageing mechanisms of tile grouts. Proceedings at the 2. Latin America Drymix Mortar Conference, 21.11.2011, Sao Paolo, Brasil.
66. Aberle T. and Pustovgar A. (2011): Adhesive mortars for polystyrene substrates – A new way to optimize formulation costs without sacrificing for quality. Proceedings of the Russian Mortar Days 2011, 28.-29.11.2011, Moscow, Russia. Russian Drymix Mortar Yearbook 2012 (Editor: F. Leopolder), p. 70 – 79, ISBN ISBN 978-3-9814004-2-7.
67. Lang J., Zurbriggen R. and Huwiler L. (2012): Open time performance of modern tile adhesives. Proceedings of the 2. India Drymix Mortar Conference, 15.3.2012, Mumbai, India.
68. Zurbriggen R. (2012): The role of tile adhesives and grout mortars to withstand daily and seasonal thermal cycles. Drymix Mortar Yearbook 2012, Proceedings of the admmc three, 8<sup>th</sup> May 2012, Miami, Florida, USA, p. 48-50, ISBN 978-3-9814004-

3-4.

69. Zurbruggen R., Herwegh M. and Wetzel A. (2012): Hygrical stresses in tilings: A combined field, microstructural and numerical modeling study. Oral presentation at the GDCh Baufachtagung in Dübendorf, Switzerland, 11.-12.10.12, Monographie, vol. 45, p. 103-108.
70. Kaufmann J., Winnefeld F. and Zurbruggen R. (2012): Untersuchung der Interaktion von Polymerdispersionen mit Fliesenoberflächen mittels Rasterkraftmikroskopie und Zeta-Potential-messung. Poster presentation at the GDCh Baufachtagung in Dübendorf, Switzerland, 11.-12.10.12, Monographie, vol. 45, p. 162-167.
71. Gestmann A., Zurbruggen R., Duss R., Lang J. and Waser H. (2012): Outdoor tiling with modern adhesive mortars in hot countries. Presentation at the 3rd Central and South European Drymix Mortar Conference, Istanbul, Turkey, 15. Oct. 2012.
72. Zurbruggen R., Bühler T., Piele U., Wetzel A. and Herwegh M. (2013): Dynamics of skin formation and mechanisms of Open Time performance of tile adhesive mortars. Proceedings of the idmmc four, 18.3.2013, Nuremberg, Germany. Drymix Mortar Yearbook 2013 (Editor: F. Leopolder), p. 76 – 79, ISBN 978-3-98s14004-5-8.
73. Zurbruggen R., Huwiler L., Bühler Th., Piele U., Wetzel A. and Herwegh M. (2013): Early mechanisms at mortar surfaces: Skin formation and adhesion properties. Oral presentation at the GDCh Baufachtagung in Berlin, Germany, 7.-9.10.13, Monographie, vol. 46, p. 145-148.
74. Lang J., Aberle T., Zurbruggen R. and Tan B. T. (2013): Skim coats – how organic additives improve the quality. Oral presentation at the 3<sup>rd</sup> Latin American Drymix Mortar Conference, Sao Paulo, Brasil, 8<sup>th</sup> Nov. 2013.
75. Lang J., Aberle T., Zurbruggen R., Buehler E. (2014): Skim coats - how organic additives improve the quality. Oral presentation at the 3<sup>rd</sup> Indian Drymix Mortar Conference, Mumbai, India, 28. February 2014.
76. Bachmann R., Thomé A., Bühler E., Waser H.-P. and Zurbruggen R. (2014): Self-leveling underlayment dry mortar technology – a review with focus on latest innovations. Oral presentation by Anja Gestmann at the admmc four, 8<sup>th</sup> April 2014, Atlanta, Georgia, USA. Proceedings in Drymix Mortar Yearbook 2014, p. 36-45, ISBN 978-3-9814004-7-2.
77. Freyer D., Voigt W., Winkler A., Fritz S. and Aberle T. (2014): Hydrophobizing of gypsum by silanes. ALITinform, No. 2 (34), p. 58.
78. Dielforder A., Steinbauer V., Herwegh M., Bühler Th., Piele U., Kaufmann J., Emmenegger P., Heini U., Zurbruggen R. (2014): Impact testing on complex multilayer composite materials (ETICS). Poster presentation at the GDCh Baufachtagung in Kassel, Germany, 6.-8.10.14, Monographie, vol. 48, p. 175-178.
79. Steinbauer V., Herwegh M., Bühler Th., Zurbruggen R. (2014): Mechanical impact analysis and numerical simulation of ETICS. Oral presentation at the GDCh Baufachtagung in Kassel, Germany, 6.-8.10.14, Monographie, vol. 48, p. 37-40.
80. Lang J., Aberle T., Zurbruggen R., Buehler E. (2015): Skim coats - how organic additives improve the quality. Drymix Mortar Yearbook 2015 (Editor: F. Leopolder), p. 4-8, ISBN 978-3-9814004-9-6.

81. Steinbauer V., Raso R., Heini U., Zapf A., Zurbriggen R. (2015): Innovations in dry mortar technology to meet latest regulations and recent trends. Oral presentation at the idmmc five, 20<sup>th</sup> April 2015, Nuremberg, Germany.
82. Steinbauer V., Herwegh M., Bühler T., Raso R., Kaufmann J., Zurbriggen R. (2015) Understanding hail impacts on external thermal insulation composite system (ETICS). Poster presentation at the GDCh-Wissenschaftsforum Chemie, 31.8.-2.9.15, Dresden, Germany.
83. Steinbauer V., Herwegh M., Bühler T., Raso R., Kaufmann J., Zurbriggen R. (2015) Understanding hail impacts on external thermal insulation composite system (ETICS). Proceedings of the 19. ibausil, Weimar, Germany (16.-18.9.2015), poster presentation, vol. 2, 1301-1305.
84. Steinbauer V., Herwegh M., Bühler T., Raso R., Kaufmann J., Zurbriggen R. (2015) Understanding hail damage at external thermal insulation composite system (ETICS). Oral presentation at the GeoBerlin 2015, 4–7 October.
85. Zurbriggen R., Lang J., Huwiler L., Bühler T., Piele U. (2016): Mechanisms and influencing factors of Open Time in tile adhesive mortars. Presentation at the 4<sup>th</sup> Russian Mortar Days, 27. January 2016, at MCU Moscow.
86. Steinbauer V., Zurbriggen R., Bühler T., Kaufmann, J., Herwegh M. (2016) Stronger hail storms require stronger External Thermal Insulation Composite Systems – the material science behind. Drymix Mortar Yearbook, 42-47.
87. Bachmann R., Zurbriggen R., Kalaner B. (2016): Self-leveling underlayment technology. Boyatürk, Nisan-Mayis, 96-102.
88. Zurbriggen R., Bühler E., Waser H., Aberle T., Bachmann R., Herwegh M. (2016): High performing self-leveling underlayments - learnings from material science studies. Oral presentation at the Fifth American Drymix Mortar Conference, 3<sup>rd</sup> May 2016, Philadelphia, PA, USA.
89. Zurbriggen R., Xu R. (2016): Durable outdoor tilings with high quality adhesives applied by the buttering-floating technique. China Drymix Mortar Association, Beijing, May 26-27, 2016.
90. Bachmann R., Zurbriggen R (2016): Durable outdoor tilings with high quality adhesives applied by the buttering-floating technique. Oral presentation at the 5th Central and South European Drymix Mortar Conference, cedmmc five, 20.9.16, Istanbul, Turkey.
91. Raso R., Bühler T., Steinbauer V., Zurbriggen R., Aberle T., Waser H., Heini U., Lang J. (2017): Impact resistance of ETICS – the role of the redispersible polymer powder. Drymix Mortar Yearbook, 78-85. Talk at the idmmc six, April 3, 2017, Nürnberg.
92. Waldvogel M., Zurbriggen R., Berger A., Herwegh M. (2017a): Investigation of strain localisation and crack initiation in waterproofing membranes during crack bridging tests. Poster presentation at the GDCh Baufachtagung in Weimar, Germany, 18.-20.9.17.
93. Waldvogel M., Zurbriggen R., Berger A., Herwegh M. (2017b): Structural geology in applied material science: Strain localisation and crack initiation in waterproofing membranes during tensile tests. Poster presentation at the Swiss Geoscience Meeting, 17th-18th Nov. 2017, Abstract in Proceedings p. 38.

94. Zurbriggen R., Aberle T. (2018a): The influence of polymer properties on mortar deformability – the significance of the glass transition temperature (T<sub>g</sub>) and the minimum film forming temperature (MFFT). Drymix Mortar Yearbook, 24-33. Oral presentation at the 6<sup>th</sup> Central and South European Drymix Mortar Conference, admmc six, 26.4.18, Chicago, USA.
95. Zurbriggen R., Aberle T. (2018b): The influence of polymer properties on mortar deformability – the significance of the glass transition temperature (T<sub>g</sub>) and the minimum film forming temperature (MFFT). Oral presentation at the 6<sup>th</sup> Central and South European Drymix Mortar Conference, cedmmc six, 4.10.18, Istanbul, Turkey.
96. Waldvogel M., Zurbriggen R., Berger A., Herwegh M. (2018a): Combined methods to investigate the crack-bridging ability of waterproofing membranes. In: M.M.R. Taha (ed.), Int. Congr. Polym. Concr. (ICPIC 2018), Springer International Publishing, 249–254. doi:10.1007/978-3-319-78175-4.
97. Waldvogel M., Zurbriggen R., Berger A., Herwegh M. (2018b): Evidences for strain localisation on surfaces of waterproofing membranes - a link between structures and mechanics. In: H.B. Fischer, A. Volke (eds.), 20. Int. Baustofftagung, ibausil, Tagungsbericht, Band 2, F.A. Finger-Institut für Baustoffkunde, 12.-14.9.2018, Weimar, 17–24.
98. Musso Piantelli F., Bühler E., Emmenegger P., Waldvogel M., Zurbriggen R. (2019): Material science behind flexible cementitious waterproofing membranes. Drymix Mortar Yearbook, 118-125. Oral presentation at the 7<sup>th</sup> International Drymix Mortar Conference, idmmc7, 18.3.19, Nürnberg, Germany.
99. Waldvogel M., Zurbriggen R., Berger A., Herwegh M. (2019): The influence of temperature on the crack-bridging ability of cementitious, flexible waterproofing membranes. Oral presentation at the GDCh Baufachtagung in Aachen, Germany, 30.9.-2.10.19, Monographie, vol. 54, p. 43-50.

#### Gastvorträge (Speaker is underlined)

1. Zurbriggen R. (2000): Mineralogie im Badezimmer. Gastvortrag im Forum Mineralogicum des Mineralogischen Institutes der Univ. Bern, 7.7.2000, Veranstalter: Prof. Tj. Peters.
2. Zurbriggen R. (2005): Die Glasübergangstemperatur (T<sub>g</sub>) von Latexdispersionen in Mörteln. Gastvortrag am Bauchemie-Forum der TU-München, 11.5.2005, Veranstalter: Prof. J. Plank.
3. Looks H. and Zurbriggen R. (2005): Erhärtungsverhalten von hochvergüteten Dünnbettmörtel bei niedrigen Temperaturen in der Praxis. Ardex Sachverständigen-Seminar, 28.10.05, 18.11.05 und 27.01.06, Raesfeld.
4. Zurbriggen R. (2006): Entwicklung von Mikrostrukturen und Materialeigenschaften von selbstverlaufenden Spachtelmassen. Gastvortrag an HeidelbergCement Bauchemie-Tage, 31.3.2006, Veranstalter: Willi Terfloth, Anneliese Zementwerke.
5. Zurbriggen R. (2006): Schwundmechanismen und Gefügeentwicklung in

- Spachtelmassen. Kolloquium 8: Rheologie und Strukturierung in komplexen Trockenmörteln. Freiburger Forschungs-Forum, TU Bergakademie Freiberg, Germany.
6. Zurbriggen R. (2006): Polymerverfilmung in Fliesenklebern, resultierende Gefügebildung und Materialeigenschaften. Gastvortrag an organics workshop@empa, 6.9.2009, EMPA, Dübendorf.
  7. Zurbriggen R. (2007): Der Einfluss der Additive auf die Mikrostrukturentwicklung und Eigenschaften von Mörteln - ein Vergleich zwischen Fliesenklebern und selbstverlaufenden Bodenspachtelmassen. Gastvortrag, Mineralogisches Seminar, Universität Erlangen, 1.2.2007.
  8. Zurbriggen R., De Gasparo A., Herwegh M., Kighelman J., Scrivener K. and Aberle T. (2008): Frühe Stoffsegregationen und ihre Auswirkungen auf die Oberflächenbeschaffenheit von selbstverlaufenden Spachtelmassen. Gastvortrag an HeidelbergCement Bauchemie-Tage, 4.4.2008, Veranstalter: Willi Terfloth, Anneliese Zementwerke.
  9. Zurbriggen R., Wetzel A., Herwegh M., Greminger A., Harzer S., Kaufmann J., Winnefeld, F. Pass K., Waser H. (2010): Vom Mikroriss bis zum Schaden - Versagensmechanismen bei Terrassenfliesenbelägen. Gastvortrag an HeidelbergCement Bauchemie-Tage, 15.+16.4.2010, Münster, Veranstalter: Willi Terfloth, Anneliese Zementwerke.
  10. Zurbriggen R., Wetzel A., Herwegh M., Greminger A., Harzer S., Kaufmann J., Winnefeld, F. Pass K., Waser H. (2010): Schadensmechanismen an grossformatigen Fliesen im Aussenbereich. Gastvortrag am WTA Seminar: Klebemörtel und Rissanierung in Bauwesen und Bausanierung. 9.6.10, FHNW, Windisch, CH.
  11. Zurbriggen R., Wetzel A., Herwegh M., Greminger A., Harzer S., Kaufmann J., Winnefeld, F. Pass K., Waser H. (2010): Schadensmechanismen im prädiagnostischen Stadium. Gastvortrag am 25. Weiterbildungsseminar der SPV Sektion Zentralschweiz, 20.10.10, Empa Dübendorf, CH.
  12. Zurbriggen R., Wetzel A., Herwegh M., Greminger A., Harzer S., Kaufmann J., Winnefeld, F. Pass K., Waser H. (2010): Schadensmechanismen bei Terrassenfliesenbelägen. 12. Sachverständigen Tage in Fulda, 2.+3.11.2010.
  13. Zurbriggen R. and Waser H. (2012): Spachtelmassen – Phänomene, Ursachen, Lösungen. Vortrag an der 28. TKB-Fachtagung in Frankfurt, 7.3.2012. Siehe Artikel von Lehmann J. (2012): 28. TKB-Fachtagung „Fussbodentechnik“, Raumausstatter Zeitschrift, Vol. 5, S. 30-31.
  14. Zurbriggen R., Huwiler L., Herwegh M., Wetzel A., Bühler Th. und Pieves U. (2012): Die Offenzeit von Fliesenklebern. Gastvortrag an HeidelbergCement Bauchemie-Tage, 19.+20.4.2012, Münster, Veranstalter: Willi Terfloth, Anneliese Zementwerke.
  15. Bühler Th., Pieves U., Herwegh M., Huwiler L., Studer St., Waser. H.-P., Zurbriggen R. (2014): Dauerhaftigkeit durch Buttering-Floating: eine materialwissenschaftliche Studie. Gastvortrag an HeidelbergCement Bauchemie-Tage, 3.+4.4.2014, Münster, Veranstalter: Willi Terfloth, Anneliese Zementwerke.
  16. Zurbriggen R. (2014): Übertragbarkeit von Standardanalytik auf industrielle

Anwendungen am Beispiel von dünnen Schichten. Workshop Methodik-Forum für Promovierende und Master-Studenten, Kassel, 6.10.2014 im Vorfeld der GDCh Baufachtagung in Kassel, Germany, 6.-8.10.14.

17. Pöllmann H., Zurbriggen R. (2015): Mikroskopieseminar der mineralischen Baustoffe. Ein Doktorandenseminar der GDCh-Fachgruppe Bauchemie. 23.-24. März 2015, Institut für Geowissenschaften und Geographie, Halle.
18. Zurbriggen R. (2016): Ternäre Spachtelmassen: Ursachen für die Stabilität in Rheologie, Kinetik und Struktur. Gastvortrag an HeidelbergCement Bauchemie-Tage, 28.+29.4.2016, Münster, Veranstalter: Frank Obst, Anneliese Zementwerke.
19. Pöllmann H., Zurbriggen R. (2018): Mikroskopieseminar der mineralischen Baustoffe. Ein Doktorandenseminar der GDCh-Fachgruppe Bauchemie. 12.-14. März 2018, Institut für Geowissenschaften und Geographie, Halle.
20. Zurbriggen R., Aberle T. (2018): Verformbarkeit von polymermodifizierten Mörteln in Abhängigkeit von Tg und MFT. Gastvortrag an HeidelbergCement Bauchemie-Tage, 3.+4.5.2018, Münster, Veranstalter: Frank Obst, Anneliese Zementwerke.
21. Zurbriggen R., Aberle T. (2018): The Influence of Polymer Properties on Mortar Deformability – the Significance of the Glass Transition Temperature (Tg) and the Minimum Film Forming Temperature (MFFT). Invited by Dr. Steffen Wache for a speech, 12.10.18, BASF, Trostberg, Germany.
22. Zurbriggen R. (2019): Some thoughts about the importance of building chemistry for the 3D-Printing of cementitious materials. Welcome speech in the name of the Division of the Chemistry of Construction Materials of the GDCh at the ScalingUp 3D, Interdisciplinary Symposium on Printable Mortars. June 27, 2019, Wopfing, Austria and June 28, 2019, Vienna, Austria.